

**Tubular Design Guide 20:  
Background and design basis**

**by**

**P.W. Key**

**and**

**A.A. Syam**

**first edition - 2014**



AUSTRALIAN STEEL INSTITUTE  
(ABN)/ACN (94) 000 973 839

**Tubular Design Guide 20:  
Background and design basis**

Copyright © 2014 by AUSTRALIAN STEEL INSTITUTE

Published by: AUSTRALIAN STEEL INSTITUTE

All rights reserved. This book or any part thereof must not be reproduced in any form without the written permission of Australian Steel Institute.

*Note to commercial software developers: Copyright of the information contained within this publication is held by Australian Steel Institute (ASI). Written permission must be obtained from ASI for the use of any information contained herein which is subsequently used in any commercially available software package.*

FIRST EDITION 2014 (LIMIT STATES)

National Library of Australia Cataloguing-in-Publication entry:

Key, Peter W.

Tubular Design Guide 20: Background and design basis / Peter W. Key, Arun A. Syam

ISBN 978 1 921476 29 7 (pbk.).

Series: Structural tubular connection series.

Includes bibliographical references.

Steel, Structural—Standards - Australia.

Structural engineering.

Syam, Arun A.

Australian Steel Institute.

624.1821021894

Also in this series:

Tubular Design Guide 21: Bolted bracing connections

Tubular Design Guide 22: Bolted bracing cleats

Tubular Design Guide 23: Plate fitments

Tubular Design Guide 24: Bolted planar connections

Tubular Design Guide 25: Fully welded – Simple planar connections

Tubular Design Guide 26: Fully welded – Gap planar connections

Tubular Design Guide 27: Fully welded – Overlap planar connections

**Disclaimer:** The information presented by the Australian Steel Institute in this publication has been prepared for general information only and does not in any way constitute recommendations or professional advice. While every effort has been made and all reasonable care taken to ensure the accuracy of the information contained in this publication, this information should not be used or relied upon for any specific application without investigation and verification as to its accuracy, suitability and applicability by a competent professional person in this regard. The Australian Steel Institute, its officers and employees and the authors and editors of this publication do not give any warranties or make any representations in relation to the information provided herein and to the extent permitted by law (a) will not be held liable or responsible in any way; and (b) expressly disclaim any liability or responsibility for any loss or damage costs or expenses incurred in connection with this publication by any person, whether that person is the purchaser of this publication or not. Without limitation, this includes loss, damage, costs and expenses incurred as a result of the negligence of the authors, editors or publishers.

The information in this publication should not be relied upon as a substitute for independent due diligence, professional or legal advice and in this regards the services of a competent professional person or persons should be sought.



## CONTENTS

	<i>Page</i>		<i>Page</i>
<i>List of figures</i>	<i>iv</i>	4.4.2 Flat bar material	27
<i>List of tables</i>	<i>v</i>	4.4.3 Design yield stress for Australian produced plate material	27
<i>Preface</i>	<i>vi</i>	4.5 Bolt types and bolting categories	28
<i>About the authors</i>	<i>vii</i>	4.6 Properties of bolts	29
<i>Acknowledgements</i>	<i>viii</i>	4.7 Weld types	31
1 CONCEPT OF DESIGN GUIDES	1	4.8 Properties of welds	33
1.1 Background	1	4.9 International material sourcing	36
2 BASIS OF SSHS CONNECTION DESIGN TO AS 4100	2	4.9.1 Background	36
2.1 General considerations	2	4.9.2 Material perspectives	36
2.2 Forms of construction	3	4.9.3 Product perspectives	37
2.3 Connection design models	5	4.9.4 Bolt sourcing	37
2.4 Connection characteristics	6	4.9.5 Welding consumables	38
2.5 Connection terminology	9	4.9.6 Product compliance	38
2.6 Fatigue considerations	10	4.9.7 Sample tests of imported product	39
2.7 Seismic considerations	11	4.9.8 Third-party product certification	40
3 BACKGROUND TO SSHS IMPLEMENTATION	12	5 DESIGN CAPACITIES	42
3.1 Advantages of SSHS for construction	12	5.1 Bolt design capacity	42
3.2 Australian production	13	5.2 Weld design capacity–Fillet welds	44
3.2.1 Background	13	5.3 Weld design capacity – Pre- engineered welds	47
3.2.2 Cold-formed manufacturing process	13	5.3.1 Stress distribution in profiled fully welded SSHS connections	47
3.2.3 Section availability	14	5.3.2 Prequalified fillet weld throat thickness	47
3.2.4 Material properties	14	5.3.3 Weld matching	49
3.3 International design context	15	5.4 Other connector types	54
3.4 Australian design context	16	5.5 Section design capacity	56
3.5 International research	17	5.5.1 Design section capacity in axial tension	56
3.6 Books and design manuals	18	5.5.2 Design section capacity in axial compression	56
4 MATERIAL AND SECTION PROPERTIES	19	5.5.3 Design section moment capacity	57
4.1 Properties of Australian SSHS	19	5.5.4 Design shear capacity of a web	57
4.1.1 Applicable standards	19	5.6 Component design capacities	59
4.1.2 Material properties	19	5.6.1 General	59
4.2 Australian SSHS section sizes	20	5.6.2 Design capacity in axial tension for rectangular component	59
4.3 Design aspects related to Australian SSHS	21	5.6.3 Design shear capacity of rectangular component	60
4.3.1 Influence of higher strength steel on SSHS connection design	21	5.6.4 Design moment capacity of rectangular component	60
4.3.2 Influence of yield to ultimate tensile strength ratio on SSHS connection design	21	5.6.5 Design capacity in axial compression for rectangular component	61
4.3.3 Design yield stress for Australian produced SSHS	22	5.6.6 Design capacity against rupture due to block shear failure for rectangular component	62
4.3.4 Section classification	23		
4.4 Properties of plate materials	26		
4.4.1 Plate material	26		



	<i>Page</i>		<i>Page</i>
6 DESIGN ACTIONS	65	8.4 Truss design	81
6.1 Minimum design actions	65	8.4.1 Effective length for compression members	81
7 DETAILING AND STANDARDISATION	67	8.4.2 Guidance on member selection	81
7.1 Detailing of SSHS connections	67	8.4.3 Suggested truss design procedure	82
7.1.1 Drainage and corrosion	67	8.5 Truss deflections	84
7.1.2 Galvanizing	68	8.5.1 Truss deflections	84
7.1.3 Recommended weld details	68	9 FUTURE DESIGN GUIDES	85
7.1.4 General design considerations	69	9.1 Planned future design guides	85
7.2 Tolerances	71	10 REFERENCES	86
7.3 Standardisation and rationalisation	72	11 NOTATION AND ABBREVIATIONS	90
8 TRUSS DESIGN CONSIDERATIONS	74	APPENDICES	
8.1 Context	74	A SSHS section sizes	100
8.1.1 Scope	74	B Limcon software	114
8.2 Classification of connections	75	C ASI Design Guide comment form	115
8.2.1 Connection classification	75		
8.3 Truss analysis	79		
8.3.1 Analysis model configuration	79		

## LIST OF FIGURES

	<i>Page</i>		<i>Page</i>
Figure 2.1 Typical rigid connections	4	Figure 5.8 Rectangular connection component geometry	59
Figure 2.2 Typical semi-rigid connections	4	Figure 5.9 Rectangular component bent about major axis	61
Figure 2.3 Typical simple connections	4	Figure 5.10 Rectangular component bent about minor axis	61
Figure 2.4 Moment-rotation characteristics of typical connections	6	Figure 5.11 Examples of block shear failure in components	62
Figure 2.5 Boundaries for stiffness calculation for beam-to- column connections	7	Figure 5.12 Block shear area in components	63
Figure 2.6 Definition of connection elements	9	Figure 5.13 Block shear failure planes inclined to the direction of the applied load	64
Figure 3.1 Typical cold-formed SSHS manufacturing process	14	Figure 7.1 Detailing of open and sealed connections	67
Figure 4.1 Definition of element width for RHS flanges	25	Figure 7.2 Recommended weld details	69
Figure 4.2 Common structural weld types in AS 4100	31	Figure 7.3 Definition of gap and overlap connections	70
Figure 5.1 Design throat thickness of fillet welds	46	Figure 7.4 Definition of bolt hole detailing dimensions	72
Figure 5.2 Non-uniform stress distribution around connected face of SSHS brace member	47	Figure 8.1 Various types of truss configuration	74
Figure 5.3 Resolution of forces on throat of fillet weld	48	Figure 8.2 Various connection types	75
Figure 5.4 Connection configurations for checking weld matching	51	Figure 8.3 Examples of connection classification	77
Figure 5.5 Lindapter hollobolt configuration	54	Figure 8.4 Classification of KT connections	78
Figure 5.6 Huck ultra-twist process	54	Figure 8.5 Planar truss connection modelling assumptions	80
Figure 5.7 Flowdrill process	55	Figure 8.6 Limits of nodding eccentricity	80



## LIST OF TABLES

		<i>Page</i>		<i>Page</i>	
Table 4.1	Minimum SSHS material properties to AS/NZS 1163	19	Table 5.3	Weld capacity factors based on weld category fillet weld, incomplete penetration butt welds and plug or slot welds	44
Table 4.2	Range of section sizes available from Australian manufacturers	20	Table 5.4	Strength limit state design capacities of equal leg fillet welds per unit length Category SP, $\phi = 0.8$ , $k_r = 1.0$ , material thickness $\geq 3$ mm	46
Table 4.3	Cold-formed SSHS material properties to EN 10219-1	22	Table 5.5	Strength limit state prequalified weld size necessary to develop section yield capacity Category SP, $\phi = 0.8$ , $f_{uw} = 490$ MPa, $k_r = 1.0$	49
Table 4.4	SSHS material properties to AS/NZS 1163	22	Table 5.6	Equal leg fillet weld maximum weld tensile strength based on connected plate grade Weld category SP, $\phi = 0.8$ , $k_r = 1.0$	53
Table 4.5	Design yield stress for SSHS related failure modes for SSHS to AS/NZS 1163	23	Table 7.1	Size of vent and drain holes for galvanizing SSHS members	68
Table 4.6	Classification of sections in various design standards	23	Table 7.2	Tolerances for SSHS member manufacture according to AS/NZS 1163	71
Table 4.7	Classification of sections in various design standards	24	Table 7.3	Bolt hole detailing dimensions	73
Table 4.8	Minimum plate material properties to AS/NZS 3678	26	Table 8.1	Effective length of truss compression members	81
Table 4.9	Strength of flat bars to AS/NZS 3679.1 Grade 300	27	Table A.1	Circular hollow sections - C250	101
Table 4.10	Bolt category identification system	28	Table A.2	Circular hollow sections - C350	102
Table 4.11	Metric hexagon commercial bolts property class 4.6	29	Table A.3	Square hollow sections - C350	104
Table 4.12	High strength structural bolts Property class 8.8	30	Table A.4	Rectangular hollow sections - C350	107
Table 4.13	Design areas of bolts	30	Table A.5	Square hollow sections - C450	109
Table 4.14	Prequalified welding consumables	34	Table A.6	Rectangular hollow sections - C450	112
Table 4.15	Nominal tensile strength of weld metal ( $f_{uw}$ )	35			
Table 5.1	Strength limit state commercial bolts 4.6/S bolting category ( $f_{uf} = 400$ MPa, $\phi = 0.8$ )	42			
Table 5.2	Strength limit state high strength structural bolts 8.8/S, 8.8/TB, 8.8/TF bolting categories ( $f_{uf} = 830$ MPa)	43			



## PREFACE

This new series of connection publications by the Australian Steel Institute (ASI) covering design capacity tables, theory and design of individual structural steel hollow section ('tubular') member connections will be known as the Structural Steel Tubular Connection Series: 1st edition, 2013 ('Tubular Connection Series'). The Tubular Connection Series details the method of design and provides design capacity tables and detailing parameters for a range of tubular connections commonly used in Australia. Connections have a major engineering and economic importance in steel structures influencing design, detailing, fabrication and erection costs. Standardisation of design approach integrated with industry detailing is the key to minimum costs at each stage. The Tubular Connection Series is written in the same format as and extends the range of the existing 'Structural Steel Connection Series Parts 1 and 2' published by ASI commencing 2007. Each book in the new Tubular Connection Series is numbered as a continuation from the existing series and hence this current book is referred to as 'Tubular Design Guide 20' (TDG20). The Tubular Connection Series replaces and enhances an AISC publication released in 1996 and titled 'Design of structural steel hollow section connections' (often referred to as the 'Blue Book'). With significant international research undertaken in the interim period and new and refined design models available, together with improvements in the performance of Australian produced structural steel hollow sections (SSHS), the time was appropriate to revise and update the Blue Book.

Tubular Design Guide 20 underpins the new Tubular Connection Series by providing historical and international perspectives on tubular connection design and the elemental connection theory that forms the common basis for all of the design models presented in the series. TDG20 draws heavily on the design basis documented in Handbook 1 of the existing Structural Steel Connection Series. The format and intent of the technical components of TDG20 is to provide sufficient technical basis to allow TDG20 to be a self-standing document, but at the same time, where substantive background technical basis is required, the reader may refer back to Handbook 1 of the existing Structural Steel Connection Series.

This has been achieved through extensive local and international literature reviews using ASI's close association with like organisations and searching the wealth of material contained in the ASI Library (the largest steel design library in the Southern Hemisphere). This process consolidated industry best practice, references and research papers. TDG20, in conjunction with Handbook 1, formulates the elemental equations and procedures for the assessment of bolts, bolt groups, welds, weld groups, connection components and supporting members in structural hollow section connections.

Following on from the existing Structural Steel Connection Series, the new Tubular Connection Series format, with separate design guides for individual connection types or groupings related to similar functions, is intended to facilitate addition to, or revision of, connection model theory using relevant new local or international research. Connection models developed follow a stylised page format with a numbered DESIGN CHECK procedure to simplify connection capacity assessment. Combined with a worked example and accompanying design capacity tables, each connection model provides a self-standing solution for the design engineer.

Engineering Systems has worked closely with the ASI to further develop their existing Limcon software as the companion program for this new Tubular Connection Series. The latest version of Limcon (V3.6) fully implements the new connection design models and was employed in checking the design tables. The Limcon output for one or more of the worked examples is included in an appendix to each design guide for each connection design type. The program is an efficient tool covering the full range of structural connections, including those beyond the scope of the design capacity tables provided in the Tubular Connection Series.

The existing Structural Steel Connection Series included comment/feedback forms. In the current series, these are replaced by a recently developed web based eForum facility. Every publication, seminar and talk that ASI sponsors has or will have a corresponding thread on the ASI eForum. Users are encouraged to log into the eForum and provide feedback on this current series. The eForum is located off our website at <http://steel.org.au/forum/>

P.W. Key  
A.A. Syam

