

**Design Guide 13**  
**Splice connections**

**by**

**T.J. Hogan**

**contributing author**

**N. van der Kreek**

**first edition—2009**



**Design Guide 13**  
**Splice connections**

Copyright © 2009 by AUSTRALIAN STEEL INSTITUTE

Published by: AUSTRALIAN STEEL INSTITUTE

All rights reserved. This book or any part thereof must not be reproduced in any form without the written permission of Australian Steel Institute.

*Note to commercial software developers: Copyright of the information contained within this publication is held by Australian Steel Institute (ASI). Written permission must be obtained from ASI for the use of any information contained herein which is subsequently used in any commercially available software package.*

FIRST EDITION 2009 (LIMIT STATES)

National Library of Australia Cataloguing-in-Publication entry:

Hogan, T.J.

Design Guide 13: Splice connections

1<sup>st</sup> ed.

Bibliography.

ISBN 978 1 921476 16 7 (pbk.).

ISBN 978 1 921476 17 4 (pdf.).

1. Steel, Structural—Standards – Australia.
2. Steel, Structural—Specifications – Australia.
3. Joints, (Engineering)—Design and construction.
  - I. van der Kreek, N.
  - II. Australian Steel Institute.
  - III. Title

(Series: Structural steel connection series).

This publication originated as part of  
Design of structural connections  
First edition 1978  
Second edition 1981  
Third edition 1988  
Fourth edition 1994

Also in this series:

Design capacity tables for structural steel. Volume 3: Simple connections—Open sections

Handbook 1: Design of structural steel connections

Design Guide 1: Bolting in structural steel connections

Design Guide 2: Welding in structural steel connections

Design Guide 3: Web side plate connections

Design Guide 4: Flexible end plate connections

Design Guide 5: Angle cleat connections

Design Guide 6: Seated connections

Design Guide 10: Bolted end plate beam splice connections

Design Guide 11: Welded beam to column moment connections

Design Guide 12: Bolted end plate to column moment connections

Design capacity tables for structural steel. Volume 4: Rigid connections—Open sections

**Disclaimer:** The information presented by the Australian Steel Institute in this publication has been prepared for general information only and does not in any way constitute recommendations or professional advice. While every effort has been made and all reasonable care taken to ensure the accuracy of the information contained in this publication, this information should not be used or relied upon for any specific application without investigation and verification as to its accuracy, suitability and applicability by a competent professional person in this regard. The Australian Steel Institute, its officers and employees and the authors of this publication do not give any warranties or make any representations in relation to the information provided herein and to the extent permitted by law (a) will not be held liable or responsible in any way; and (b) expressly disclaim any liability or responsibility for any loss or damage costs or expenses incurred in connection with this publication by any person, whether that person is the purchaser of this publication or not. Without limitation, this includes loss, damage, costs and expenses incurred as a result of the negligence of the authors or publishers.

The information in this publication should not be relied upon as a substitute for independent due diligence, professional or legal advice and in this regards the services of a competent professional person or persons should be sought.



# CONTENTS

	<i>Page</i>		<i>Page</i>
List of figures	iv	B3 Detailing considerations	48
List of tables	v	B4 Basis of design model	49
Preface	vi	B5 Recommended design model— Summary of design checks	50
About the author	vii	B6 Recommended design model— DESIGN CHECK NO. 1	51
About the contributing author	vii	B7 Recommended design model— DESIGN CHECK NO. 2	56
Acknowledgements	viii	B8 Recommended design model— DESIGN CHECK NO. 3	59
1 CONCEPT OF DESIGN GUIDES.....	1	B9 Recommended design model— DESIGN CHECK NO. 4	61
1.1 Background	1	B10 Recommended design model— DESIGN CHECK NO. 5	65
2 AS 4100 REQUIREMENTS .....	2	B11 Recommended design model— DESIGN CHECK NO. 6	67
2.1 Minimum design actions	2	B12 Recommended design model— DESIGN CHECK NO. 7	68
2.2 Member section capacity at splice location	3	B13 Recommended design model— DESIGN CHECK NO. 8	69
2.3 Full contact splices in columns	6	B14 Design example	70
3 CALCULATION OF DESIGN ACTIONS .....	7	B15 Design capacity tables	76
4 REFERENCES .....	12	PART C FULLY WELDED SPLICE .....	82
PART A BOLTED COVER PLATE SPLICE..	13	C1 Description of connection	82
A1 Description of connection	13	C2 Typical detailing of connection	83
A2 Typical detailing of connection	14	C3 Detailing considerations	84
A3 Detailing considerations	16	C4 Basis of design model	85
A4 Basis of design model	17	C5 Recommended design model— Summary of design checks	86
A5 Recommended design model— Summary of design checks	19	C6 Recommended design model— DESIGN CHECK NO. 1	87
A6 Recommended design model— DESIGN CHECK NO. 1	20	C7 Recommended design model— DESIGN CHECK NO. 2	88
A7 Recommended design model— DESIGN CHECK NO. 2	26	C8 Recommended design model— DESIGN CHECK NO. 3	89
A8 Recommended design model— DESIGN CHECK NO. 3	28	C9 Recommended design model— DESIGN CHECK NO. 4	91
A9 Recommended design model— DESIGN CHECK NO. 4	32	C10 Design example	93
A10 Recommended design model— DESIGN CHECK NO. 5	33	C11 Design capacity tables	96
A11 Recommended design model— DESIGN CHECK NO. 6	34		
A12 Design example	35	APPENDICES	
A13 Design capacity tables	39	A Limcon software	99
PART B BOLTED/WELDED COVER PLATE SPLICE .....	45	B ASI Design Guide 13 comment form	108
B1 Description of connection	45		
B2 Typical detailing of connection	46		



## LIST OF FIGURES

		<i>Page</i>			<i>Page</i>
Figure 1	Flange hole configurations.....	3	Figure B4	Typical detailing in tension member .....	47
Figure 2	Design actions at splice .....	7	Figure B5	Geometry of flange splice plates .....	53
Figure 3	Section dimensions— Symmetrical section .....	8	Figure B6	Fillet weld arrangement at flanges.....	57
Figure 4	Alternative stress distributions in section due to $M^*$ .....	10	Figure B7	Single line of bolts—Bolt forces acting towards an edge .....	61
Figure 5	Design factors for unsymmetrical sections .....	11	Figure B8	Double line of bolts—Bolt forces acting towards an edge .....	62
Figure 6	Design moment at a column splice .....	11	Figure B9	Geometry and design actions on web weld .....	65
Figure 7	Preferred column splice location .....	11	Figure B10	Geometry of web cover plates .....	67
Figure A1	Bolted cover plate splice.....	13	Figure B11	Design example—Column splice not prepared for full contact.....	70
Figure A2	Typical detailing in flexural member .....	14	Figure B12	Section with holes in one flange—Elastic section .....	74
Figure A3	Typical detailing in column/beam-column .....	15	Figure B13	Section with holes in one flange—Plastic section .....	75
Figure A4	Typical detailing in tension member .....	15	Figure C1	Fully welded splice .....	82
Figure A5	Eccentricity in flange cover plates.....	18	Figure C2	Typical detailing of welded splice .....	83
Figure A6	Geometry of flange splice plates .....	22	Figure C3	Use of backing strips .....	84
Figure A7	Single line of bolts—Bolt forces acting towards an edge.....	28	Figure C4	Preferred splice location in column.....	84
Figure A8	Double line of bolts—Bolt forces acting towards an edge ....	29	Figure C5	Staggering of flange and web splice locations .....	85
Figure A9	Geometry of web cover plates ....	32	Figure C6	Design actions on flange welds ...	87
Figure A10	Design example—Beam splice ...	35	Figure C7	Web cover plate dimensions .....	89
Figure B1	Bolted/welded cover plate splice .....	45	Figure C8	Geometry and design actions on web weld .....	91
Figure B2	Typical detailing in flexural member .....	46	Figure C9	Design example—Beam splice ....	93
Figure B3	Typical detailing in column/beam column.....	47	Figure C10	Web fillet weld geometry for design example .....	94



## LIST OF TABLES

	<i>Page</i>		<i>Page</i>
Table 1	Universal beams Grade 300— Design section moment and shear capacities..... 4	Table B5	Values of $\phi V_{bf}$ and $\phi V_{bi}$ .....56
Table 2	Parallel flange channels— Grade 300—Design section moment and shear capacities..... 5	Table B6	Design strengths of cover plates .60
Table 3	Welded beams— Grade 300—Design section moment and shear capacities..... 5	Table B7	Design moment capacity of bolted/welded single cover plate splice, Universal beam sections < 400 deep, M20 bolts, 6 fillets to flange plates, 5 fillets to web plates.....77
Table A1	Summary of design actions from Section 3 ..... 19	Table B8	Design moment capacity of bolted/welded single cover plate splice, Universal beam sections > 400 deep, M24 bolts, 8 or 6 fillets to flange plates, 5 fillets to web plates .....78
Table A2	Reduction factor for lap connections ( $k_r$ ) ..... 21	Table B9	Design moment capacity of bolted/welded three cover plate splice, Universal column sections, M24 bolts, 6/8 fillets to flange plates and 6 fillets to web plates .....79
Table A3	Strength limit state 8.8/TB, 8.8/TF bolting categories ..... 21	Table B10	Design moment capacity of bolted three cover plate splice, 700WB/800WB welded beam sections, M24 bolts, 6/8 fillets to flange plates and 5 fillets to web plates .....80
Table A4	Serviceability limit state 8.8/TF bolting category ..... 22	Table B11	Design moment capacity of bolted/welded three cover plate splice, 900WB/1000WB welded beam sections, M24 bolts, 8 or 6 fillets to flange plates and 6 fillets to web plates .....81
Table A5	Values of $\phi V_{bf}$ and $\phi V_{bi}$ ..... 25	Table C1	Summary of design actions from Section 3 .....86
Table A6	Design strengths of cover plates 27	Table C2	Design strengths of web cover plates.....90
Table A7	Design moment capacity of bolted single cover plate splice— Universal beam sections < 400 deep—M20 bolts ..... 40	Table C3	Universal beams—Grade 300— design section moment and shear capacities .....96
Table A8	Design moment capacity of bolted single cover plate splice— Universal beam sections > 400 deep—M24 bolts ..... 41	Table C4	Welded beams—Grade 300— Design section moment and shear capacities .....97
Table A9	Design moment capacity of bolted three cover plate splice— Universal column sections— M24 bolts..... 42	Table C5	Universal columns/welded columns—Grade 300—Design section moment and shear capacities .....98
Table A10	Design moment capacity of bolted three cover plate splice 700WB/800WB Welded beam sections—M24 bolts ..... 43		
Table A11	Design moment capacity of bolted three cover plate splice 900WB/1000WB Welded beam sections—M24 bolts ..... 44		
Table B1	Summary of design actions from Section 3 ..... 50		
Table B2	Reduction factor for lap connections ( $k_r$ ) ..... 52		
Table B3	Strength limit state—8.8/TB, 8.8/TF bolting categories ..... 52		
Table B4	Serviceability limit state— 8.8/TF bolting category ..... 53		



## PREFACE

This new series of connection publications by the Australian Steel Institute (ASI) covering capacity tables, theory and design of individual rigid connections will be known as the Structural Steel Connections Series, Part 2: 1<sup>st</sup> ed. 2009 (*‘Connection Series, Part 2’*). This Connection Series, Part 2 details the method of design and provides capacity tables and detailing parameters for a range of rigid connections commonly used for structural steel in Australia. Connections have a major engineering and economic importance in steel structures influencing design, detailing, fabrication and erection costs. Standardisation of design approach integrated with industry detailing is the key to minimum costs at each stage. This Connections Series, Part 2 in conjunction with the Connection Series, Part 1 for simple connections (collectively the Structural Steel Connections Series or *‘Connection Series’*) replaces and enhances an ASI flagship publication first released in 1978 at which time connection design theories were developed for the purpose of generating and releasing connection capacity tables. The first three editions were released in permissible stress format. The fourth edition *Design of Structural Connections* (often referred to as the Green Book) was released in 1994 in limit state format but there was no subsequent release of a limit state companion document containing connection design capacity tables.

The new Connections Series format with separate design guides for individual connection types is intended to facilitate addition to or revision of connection model theory using relevant new local or international research as deemed appropriate by the ASI. Connection models developed using the Handbook 1 theory follow a stylised page format with a numbered DESIGN CHECK procedure to simplify connection capacity assessment.

This Design Guide provides recommended design models for:

- bolted cover plate splices;
- bolted/welded cover plate splices; and
- fully welded splices

in I-Section members. Members may be beams, columns, tension members or beam columns. The recommended design models use common design assumptions and the provisions of AS 4100.

It is to be emphasised that the recommended design models are considered the most representative of the behaviour of each connection in the opinion of ASI. It is not intended to suggest that other design models may not result in adequate connection capacity.

Engineering Systems has worked closely with the Australian Steel Institute to further develop Limcon as the companion program for this new Connection Design Guide Series. The latest version of Limcon fully implements the new connection design models and it was employed in checking the design capacity tables. The Limcon output for one or more of the worked examples is included in an appendix to each Design Guide. The program is an efficient tool covering the full range of structural connections, including those beyond the scope of the Design Guide capacity tables.

An appendix to each Design Guide also contains an ASI comment form. Users of this publication are encouraged to photocopy this one page form and forward any suggested improvements which may be incorporated into future editions.

T.J. Hogan

N. van der Kreek



## ABOUT THE AUTHOR

Tim Hogan is Consultant to and retired Director of SCP Consulting Pty Ltd. His academic achievements include a Bachelor of Engineering from the University of NSW with 1<sup>st</sup> Class Honours and the University Medal. Post graduate qualifications include a Master of Engineering Science and a Master of Business Administration. Tim is a Member of the Institution of Engineers Australia with CPEng and FIE Aust. status.

His early experience was on bridge design and construction with the NSW Public Works Department and subsequently as Development Engineer and then Engineering Manager with the Australian Institute of Steel Construction until 1980. Consulting experience with SCP Consulting since 1980 has included design and supervision of large steel framed buildings, industrial buildings, mill buildings, retail developments, defense infrastructure and composite steel-concrete buildings. His published works deal primarily with the areas of composite construction, steel connections, fabrication and erection of steel structures and he was a major contributor and editor of the Commentary to AS 4100. He is a member of a number of Standards Australia Committees dealing with steel and composite structures and is currently Chairman of Committee BD-001 Steel Structures and BD-032 Composite Construction. He received an award from Standards Australia for his contributions to writing of Australian Standards.

## ABOUT THE CONTRIBUTING AUTHOR

Nick van der Kreek is OneSteel Manufacturing's Technical Development Manager and has held various technical and marketing roles during his 22 years with OneSteel (BHP Steel prior to 2000). Nick's activities included engineering development and design support associated with composite and steel framed building solutions—either of a generic nature or specific designs for many notable Australian multi-storey buildings. Nick is the principal author of the OneSteel composite software.

Nick has a BE from the University of Queensland and a Graduate Diploma in Computing from the University of Melbourne.



## ACKNOWLEDGEMENTS

This publication is an Australian Government funded initiative under the Industry Cooperative Innovation Program.

The authors would like to extend special thanks to:

The ASI Connections steering committee consisting of Richard Collins (Engineering Systems), Nick van der Kreek and Anthony Ng (OneSteel Market Mills), Arun Syam (Australian Tube Mills) for their respective contributions with the development and review of the technical and editorial content of the revised ASI Connection Manual.

Significant contributions were made by:

- Richard Collins—Engineering Systems in the development and upgrade of the Limcon software code in parallel with the design theory and aiding in the editing and validation of the revised models.
- Biometrical Data Processing for technical typesetting expertise.
- Whizzcad Pty Ltd with drafting and graphics for publishing.
- ASI State Engineering & Construction special Sub-Committees for progressive engineering and industry review of manuscripts.

Together with support of:

- All facets of the ASI membership including design engineers, steelwork detailers and fabricators in contributing industry best practice and standards through ASI surveys and direct consultation to establish the theory and geometry in this new ASI Connection Manual.

