

# 12. Inspection and Maintenance

Crane runway girders, brackets, lateral restraints at columns and rails are subject to heavy wear and fatigue damage and for this reason there is a need for systematic periodical inspection of welds. Another problem is the slow creep out of alignment of the rails and the girders. The inspection programme should be graduated such that with increasing age of the runway the inspections should become more frequent. The main reason for weld inspection is to detect any cracks in the welded joints or in surrounding metal so that corrective actions can be taken early. In the first 5 or 6 years of the runway life there should normally be no problems until the fatigue propagation threshold is reached. From thereon the inspection is necessary at a frequency not exceeding 2 years and in later life of the heavy-duty cranes the frequency may need to be increased to every 12 months.

If repairs are required, it is important to obtain expert advice as to the method of repair and inspection method most suited to prevent renewed fatigue cracking and maintenance. It should be borne in mind that weld repairs carried out at the site, in the air are not easy to be carried out and inspection must be very good.



# Crane Runway Girders

## Limit States Design

Second Edition 2003



AUSTRALIAN STEEL INSTITUTE  
(ABN)/ACN (94) 000 973 839

Branko Gorenc

# Contents

1.	Introduction .....	1
2.	Runway & Crane System .....	2
2.1.	Crane types .....	3
2.2.	Crane runway girders .....	5
2.3.	Monorail beams .....	7
2.4.	Building columns and frames .....	8
3.	Classification of Cranes and Runways .....	9
3.1.	Reason for crane classification .....	9
3.2.	Utilisation Class – Global design .....	9
3.3.	Local Utilization class .....	10
3.4.	Multiple Cranes .....	10
3.5.	Structural Class v/s Group Class .....	11
3.6.	Duty Classification .....	11
4.	Crane Loads .....	12
4.1.	Load determination .....	12
4.2.	Load combinations .....	12
4.3.	Dynamic factors .....	14
4.4.	Long travel acceleration forces .....	14
4.5.	Wind on crane and hoisted load .....	15
4.6.	Buffer impact .....	16
4.7.	Oblique travelling .....	16
4.8.	Approximate load determination .....	17
5.	Structural Analysis .....	19
5.1.	Global load effects .....	19
5.2.	Analysis for global loads .....	19
5.3.	Curved monorail beams .....	22
5.4.	Girder cross section .....	22
6.	Design Procedure .....	24
6.1.	Design for strength .....	24
6.2.	Torsion .....	25
6.3.	Torsion Capacity by rigorous method .....	25
6.4.	Lateral stability of the runway girder .....	26
6.5.	Box Sections .....	26
6.6.	Design for fatigue resistance .....	27
6.7.	Local load effects in the top flange region .....	27
6.8.	Web stiffeners .....	33
6.9.	Lateral restraints at columns .....	34
6.10.	End stops .....	35
6.11.	Monorail beams .....	36

7. Design for Fatigue Resistance .....	40
7.1. General .....	40
7.2. Stress analysis .....	40
7.3. Number of stress cycles .....	41
7.4. Fatigue Verification by AS 4100 .....	42
8. Deflection Limits .....	43
9. Detail Design .....	45
9.1. Detailing practices .....	45
9.2. Bolted connections .....	45
9.3. Welded joints .....	45
9.4. Splices in simply supported runways .....	46
9.5. Avoidance of lamellar tearing .....	46
9.6. Web stiffeners .....	47
9.7. End bearing stiffeners and bearing details .....	48
9.8. Crane columns and corbels .....	50
9.9. Longitudinal Bracing .....	51
10. Rails and Accessories .....	52
10.1. Rail splices and expansion joints .....	52
10.2. Rail fixings .....	53
10.3. Resilient bedding strips .....	54
10.4. Painting .....	54
11. Materials, Fabrication, Workmanship and Tolerances .....	55
11.1. Materials .....	55
11.2. Workmanship .....	55
11.3. Welding top hat sections .....	56
11.4. Tolerances .....	56
12. Inspection and Maintenance .....	57
13. Numerical Example .....	58
14. Glossary .....	67
15. References .....	69

# List of Figures

Fig 1.	Types of overhead running cranes .....	3
Fig 2.	Types of crane drives .....	4
Fig 3.	Runway Static System .....	6
Fig 4.	Monorail beam and cranes .....	7
Fig 5.	Relation between building frame and the runway .....	8
Fig 6.	Inertial forces .....	15
Fig 7.	Buffers and Buffer impact .....	16
Fig 8.	Oblique travel forces .....	17
Fig 9.	Crane wheel loads .....	18
Fig 10.	Frame / runway relation .....	19
Fig 11.	Bending moment envelope and influence lines .....	20
Fig 12.	Global analysis for vertical and torsional loads .....	21
Fig 13.	Curved monorail beam .....	22
Fig 14.	Types of cross section .....	23
Fig 15.	'Top Hat' (a) and lipped sections (b) .....	23
Fig 16.	Localized effects in the top flange area .....	27
Fig 17.	Web crushing (AS4100 method) .....	29
Fig 18.	Buckling of the web panel due to patch load acting in the plane of the web (AS 4100 method) .....	30
Fig 19.	Transverse bending of web due to torque .....	31
Fig 20.	Transverse bending of top flange .....	32
Fig 21.	Elastomeric strips reduce transverse bending of flange .....	33
Fig 22.	Web stiffeners .....	34
Fig 23.	Lateral movement and rotation at girder bearing .....	35
Fig 24.	Forces on end stops .....	36
Fig 25.	Monorail bottom flange stresses .....	37
Fig 26.	Comparison of Becker(15) vs BHP plots for Cz under the wheel load .....	38
Fig 27.	Stress range vs number of stress cycles for normal stress and shear stresses (excerpt from AS4100) .....	42
Fig 28.	Deflection limits .....	44
Fig 29.	Rail meandering in practice .....	44
Fig 30.	Bolted intermediate web stiffeners .....	45
Fig 31.	Welded girder splices .....	46
Fig 32.	Web stiffener details .....	47
Fig 33.	End bearing stiffeners .....	48
Fig 34.	Bearings .....	49
Fig 35.	Unsatisfactory bearing details .....	49
Fig 36.	Types of supporting columns .....	50
Fig 37.	Longitudinal Expansion due to temperature and bracing of crane columns .....	51
Fig 38.	More bearings and crane rail splice details .....	53
Fig 39.	Common rail fixings .....	54
Fig 40.	Soft bedding of rails .....	54
Fig 41.	Welding access to 'top hat' welds .....	56
Fig 42.	Applied Loads .....	58
Fig 43.	Section and Girder Dimensions .....	58
Fig 44.	Forces from trolley acceleration .....	59