

FIGURE A2 TYPICAL DETAILING IN FLEXURAL MEMBER



Design Guide 13 Splice connections

by

T.J. Hogan

contributing author N. van der Kreek

first edition-2009



AUSTRALIAN STEEL INSTITUTE (ABN)/ACN (94) 000 973 839

Design Guide 13 Splice connections

Copyright © 2009 by AUSTRALIAN STEEL INSTITUTE

Published by: AUSTRALIAN STEEL INSTITUTE

All rights reserved. This book or any part thereof must not be reproduced in any form without the written permission of Australian Steel Institute.

Note to commercial software developers: Copyright of the information contained within this publication is held by Australian Steel Institute (ASI). Written permission must be obtained from ASI for the use of any information contained herein which is subsequently used in any commercially available software package.

FIRST EDITION 2009 (LIMIT STATES)

National Library of Australia Cataloguing-in-Publication entry: Hogan, T.J. Design Guide 13: Splice connections

1st ed. Bibliography. ISBN 978 1 921476 16 7 (pbk.). ISBN 978 1 921476 17 4 (pdf.).

- 1. Steel, Structural—Standards Australia.
- 2. Steel, Structural—Specifications Australia.
- 3. Joints, (Engineering)—Design and construction.
- I. van der Kreek, N.
- II. Australian Steel Institute.
- III. Title

(Series: Structural steel connection series).

Also in this series:

Design capacity tables for structural steel. Volume 3: Simple connections—Open sections Handbook 1: Design of structural steel connections

Design Guide 1: Bolting in structural steel connections

Design Guide 2: Welding in structural steel connections

Design Guide 3: Web side plate connections

Design Guide 4: Flexible end plate connections

Design Guide 5: Angle cleat connections

Design Guide 6: Seated connections

Design Guide 10: Bolted end plate beam splice connections

Design Guide 11: Welded beam to column moment connections

Design Guide 12: Bolted end plate to column moment connections

Design capacity tables for structural steel. Volume 4: Rigid connections-Open sections

Disclaimer: The information presented by the Australian Steel Institute in this publication has been prepared for general information only and does not in any way constitute recommendations or professional advice. While every effort has been made and all reasonable care taken to ensure the accuracy of the information contained in this publication, this information should not be used or relied upon for any specific application without investigation and verification as to its accuracy, suitability and applicability by a competent professional person in this regard. The Australian Steel Institute, its officers and employees and the authors of this publication do not give any warranties or make any representations in relation to the information provided herein and to the extent permitted by law (a) will not be held liable or responsible in any way; and (b) expressly disclaim any liability or responsibility for any loss or damage costs or expenses incurred in connection with this publication by any person, whether that person is the purchaser of this publication or not. Without limitation, this includes loss, damage, costs and expenses incurred as a result of the negligence of the authors or publishers.

The information in this publication should not be relied upon as a substitute for independent due diligence, professional or legal advice and in this regards the services of a competent professional person or persons should be sought.



This publication originated as part of Design of structural connections First edition 1978 Second edition 1981 Third edition 1988 Fourth edition 1994

ii

CONTENTS

Page

			-	
List of figures in List of tables Preface v				
	About the author v			
About the contributing author				
		edgements	viii	
		-		
1	CON(1.1	CEPT OF DESIGN GUIDES Background	1 1	
2	AG 11	100 REQUIREMENTS	2	
2	2.1		2	
	2.1	Minimum design actions	2	
	2.2	Member section capacity at splice	2	
	0.0	location	3	
	2.3	Full contact splices in columns	6	
3	CALC	ULATION OF DESIGN ACTIONS	7	
4	REFE	RENCES	12	
PA	ART A	BOLTED COVER PLATE SPLICE	13	
• •	A1	Description of connection	13	
	A2	Typical detailing of connection	14	
	A3	Detailing considerations	16	
	A4	Basis of design model	17	
	A4 A5		17	
	Ab	Recommended design model—	40	
		Summary of design checks	19	
	A6	Recommended design model—	~~	
		DESIGN CHECK NO. 1	20	
	A7	Recommended design model—		
		DESIGN CHECK NO. 2	26	
	A8	Recommended design model—		
		DESIGN CHECK NO. 3	28	
	A9	Recommended design model—		
		DESIGN CHECK NO. 4	32	
	A10	Recommended design model—		
		DESIGN CHECK NO. 5	33	
	A11	Recommended design model—		
		DESIGN CHECK NO. 6	34	
	A12	Design example	35	
	A13	Design capacity tables	39	
	,	2 co.g.r. supuoity tables	00	
PART B BOLTED/WELDED COVER				
		PLATE SPLICE	45	
	B1	Description of connection	45	
	B2	Typical detailing of connection	46	

		Page
B3	Detailing considerations	48
B4	Basis of design model	49
B5	Recommended design model—	
	Summary of design checks	50
B6	Recommended design model—	
	DESIGN CHECK NO. 1	51
B7	Recommended design model—	
	DESIGN CHECK NO. 2	56
B8	Recommended design model—	
	DESIGN CHECK NO. 3	59
B9	Recommended design model—	
	DESIGN CHECK NO. 4	61
B10	Recommended design model—	
	DESIGN CHECK NO. 5	65
B11	Recommended design model—	
	DESIGN CHECK NO. 6	67
B12	Recommended design model—	
	DESIGN CHECK NO. 7	68
B13	Recommended design model—	
544	DESIGN CHECK NO. 8	69
B14	Design example	70
B15	Design capacity tables	76
PART C	FULLY WELDED SPLICE	82
C1	Description of connection	82
C2	Typical detailing of connection	83
C3	Detailing considerations	84
C4	Basis of design model	85
C5	Recommended design model—	
	Summary of design checks	86
C6	Recommended design model—	
	DESIGN CHECK NO. 1	87
C7	Recommended design model—	
	DESIGN CHECK NO. 2	88
C8	Recommended design model—	
	DESIGN CHECK NO. 3	89
C9	Recommended design model—	
	DESIGN CHECK NO. 4	91
C10	Design example	93
C11	Design capacity tables	96
APPEND		
APPENL	Limcon software	99
B	ASI Design Guide 13	99
U	comment form	108



LIST OF FIGURES

Page

Figure 1	1	Flange hole configurations
Figure 2	2	Design actions at splice7
Figure 3	3	Section dimensions—
		Symmetrical section 8
Figure 4	1	Alternative stress distributions in section due to <i>M</i> *10
Figure 5	5	Design factors for unsymmetrical sections 11
Figure 6	6	Design moment at a column splice 11
Figure 7	7	Preferred column splice location. 11
Figure A	۹1	Bolted cover plate splice 13
Figure A	42	Typical detailing in flexural member
Figure A	43	Typical detailing in
i iguio /	.0	column/beam-column
Figure A	4	Typical detailing in tension member
Figure A	45	Eccentricity in flange cover plates
Figure A	۹6	Geometry of flange splice plates 22
Figure A	٩7	Single line of bolts—Bolt forces
0		acting towards an edge 28
Figure A	48	Double line of bolts—Bolt
		forces acting towards an edge 29
Figure A		Geometry of web cover plates 32
Figure A		Design example—Beam splice 35
Figure E	31	Bolted/welded cover plate splice
Figure E	32	Typical detailing in flexural member
Figure E	33	Typical detailing in
2		column/beam column

Figure E	34	Typical detailing in tension member	47
Figure E	35	Geometry of flange splice plates	
Figure E	36	Fillet weld arrangement at	
		flanges	.57
Figure E	37	Single line of bolts—Bolt forces acting towards an edge	.61
Figure E	38	Double line of bolts—Bolt forces acting towards an edge	.62
Figure E	39	Geometry and design actions on web weld	
Figure E	310	Geometry of web cover plates	
Figure E			
i iguic i	511	not prepared for full contact	.70
Figure E	312	Section with holes in one	
		flange—Elastic section	.74
Figure E	313	Section with holes in one flange—Plastic section	.75
Figure (C1	Fully welded splice	
Figure (C2	Typical detailing of welded	•••
		splice	
Figure (C3	Use of backing strips	.84
Figure (C4	Preferred splice location in column	.84
Figure 0	C5	Staggering of flange and	
0		web splice locations	.85
Figure (C6	Design actions on flange welds	.87
Figure (C7	Web cover plate dimensions	.89
Figure 0	C8	Geometry and design actions	
		on web weld	
Figure (Design example—Beam splice	.93
Figure 0	C10	Web fillet weld geometry for	
		design example	.94



Page

iv

LIST OF TABLES

Page

Page

Table 1	Universal beams Grade 300— Design section moment and shear capacities
Table 2	Parallel flange channels— Grade 300—Design section moment and shear capacities 5
Table 3	Welded beams— Grade 300—Design section moment and shear capacities 5
Table A1	Summary of design actions from Section 3 19
Table A2	Reduction factor for lap connections (k_r)
Table A3	Strength limit state 8.8/TB, 8.8/TF bolting categories
Table A4	Serviceability limit state 8.8/TF bolting category
Table A5	Values of ϕV_{bf} and ϕV_{bi}
Table A6	Design strengths of cover plates 27
Table A7	Design moment capacity of bolted single cover plate splice— Universal beam sections < 400 deep—M20 bolts
Table A8	Design moment capacity of bolted ingle cover plate splice— Universal beam sections > 400 deep—M24 bolts
Table A9	Design moment capacity of bolted three cover plate splice— Universal column sections— M24 bolts
Table A10	Design moment capacity of bolted three cover plate splice 700WB/800WB Welded beam sections—M24 bolts
Table A11	Design moment capacity of bolted three cover plate splice 900WB/1000WB Welded beam sections—M24 bolts
Table B1	Summary of design actions from Section 3 50
Table B2	Reduction factor for lap connections (k_r)
Table B3	Strength limit state—8.8/TB, 8.8/TF bolting categories
Table B4	Serviceability limit state— 8.8/TF bolting category53

	, ugo
Table B5 Table B6 Table B7	Values of ϕV_{bf} and ϕV_{bi}
Table B8	Design moment capacity of bolted/welded single cover plate splice, Universal beam sections > 400 deep, M24 bolts, 8 or 6 fillets to flange plates, 5 fillets to web plates
Table B9	Design moment capacity of bolted/welded three cover plate splice, Universal column sections, M24 bolts, 6/8 fillets to flange plates and 6 fillets to web plates
Table B10	Design moment capacity of bolted three cover plate splice, 700WB/800WB welded beam sections, M24 bolts, 6/8 fillets to flange plates and 5 fillets to web plates
Table B11	Design moment capacity of bolted/welded three cover plate splice, 900WB/1000WB welded beam sections, M24 bolts, 8 or 6 fillets to flange plates and 6 fillets to web plates
Table C1	Summary of design actions from Section 3
Table C2	Design strengths of web cover plates90
Table C3	Universal beams—Grade 300— design section moment and shear capacities96
Table C4	Welded beams—Grade 300— Design section moment and shear capacities97
Table C5	Universal columns/welded columns—Grade 300—Design section moment and shear capacities



v V